








SHRINK PACKAGING MACHINE MANUFACTURER

SINCE 1989

www.maripak.com

A large, light gray decorative graphic on the left side of the slide, consisting of three concentric, thick curved lines that form a partial circle.

Presentation Outline

-  Who we are?
-  Departments
-  Products
-  Why partner with us?
-  Target Industries

Who we are?



Is a Turkish manufacturer
founded in 1989



Headquarters in
İstanbul, Turkey



Maripak USA launched in
2020



+40 distributors,
+12000 customers



%100 In-House
Production



%80 export sales and
%20 domestic market



Produces 500+
machine/year



Member of Turkish
Package Machine
Producers Association


Departments



100+
EMPLOYEES



R&D New machine design
and prototyping



CNC sheet metal
processing plant and metal
work plant



Mechanical and
electrical assembly plant



Quality
Control



Sales and
Marketing



After sales
operation

Wide Product Range in POF Shrink Wrap Machines



Manual and Semi Automatic L Sealers



Compack

Seal Wire Size:

4500i:	450 x 300 mm
5800i:	580 x 440 mm
7000i:	700 x 510 mm
8000i:	810 x 610 mm

Max. Product Height: 150 mm

Optional High Chamber Availability:

5800i:	250 mm
8000i:	300 mm

Applicable Film: POF / Up to 25 mic

Capacity: 5-10 pack/min*



LMC

Seal Bar Type / Size: Motorized

58x44:	580 x 440 mm sealing wire
80x65:	810 x 610 mm sealing wire

Available bigger sizes with pneumatic seal bar

Max. Product Height: 150mm

Applicable Film: POF / Up to 25 mic

Capacity: 10-15 pack/min*



TMC Pro

Seal Bar Type / Size: Motorized

58x44:	580 x 440 mm sealing wire
--------	---------------------------

Bottom Circulated Built-in Heat Tunnel

Max. Product Height: 150mm

Applicable Film: POF / Up to 25 mic


Capacity: 10-15 pack/min*

* Reference product size at A4 size and H:50 mm with POF film

Wide Product Range in POF Shrink Wrap Machines



Automatic L Sealers



CLS

Seal Bar Type / Size:	Pneumatic seal bar with 450 x 420 mm sealing blade
Conveyor Belt Size:	320 mm
Max. Product Height:	100 mm
Applicable Film:	POF, PE
Capacity:	15-20 pack/min*



RLS e-PRO

Seal Bar Type / Size:	Servo driven seal bar with 580 x 440 mm sealing blade
Conveyor Belt Size:	400 mm
Max. Product Height:	100 mm
Applicable Film:	POF, PE, OPP, CPP, PP
Capacity:	20-25 pack/min*



Veriopack

Seal Bar Type:	Servo driven seal bar
Collation Belt Size:	440 mm
Max. Product Height:	120 mm
Applicable Film:	POF, PE, OPP, CPP, PP
Capacity:	25 pack/min*

* Reference product size at A4 size and H:50 mm with POF film

Wide Product Range in Shrink Wrap Machines

Intermittent Continuous Side Sealers



Sympack

Seal Bar Type:	Servo driven seal bar
Conveyor Belt Size:	350 mm
Max. Product Height:	170 mm
Applicable Film:	POF, LDPE upto 40 mic
Capacity:	25-30 pack/min*



Impact Hybrid

Seal Bar Type:	Servo driven seal bar
Conveyor Belt Size:	600 mm
Max. Product Height:	400 mm
Applicable Film:	POF, LDPE, HDPE up to 60 mic
Capacity:	6-10 pack/min*



Impact Pro

Seal Bar Type:	Servo driven seal bar
Conveyor Belt Size:	200-400-600-800-1000 mm conveyor belt size options
Max. Product Height:	120 mm
Applicable Film:	POF, LDPE, HDPE up to 60 mic
Capacity:	35-40 pack/min*

* Reference product size at A4 size and H:50 mm with POF film

Continuous Motion Side Sealer With Box-Motion Seal Bar




ProMotion

Seal Bar Type:	Servo driven seal bar for horizontal and vertical movement
Conveyor Belt Size:	200-400-600-800 mm conveyor belt size options
Max. Product Height:	250 mm
Applicable Film:	POF, LDPE, HDPE upto 60 mic <i>Optional sealing features for 100mic PE thickness</i>
Capacity:	50-60 pack/min*

* Reference product size at A4 size and H:50 mm

Sleeve Wrappers



Multimac D

Conveyor Belt Size:	600-800-1000 mm conveyor belt size options
Max. Product Height:	400 mm
Applicable Film:	LDPE upto 80 mic
Capacity:	10-15 pack/min*
Working Height:	960 mm




Multimac P

Conveyor Belt Size:	600-800 mm conveyor belt size options
Max. Product Height:	400 mm
Applicable Film:	LDPE upto 80 mic
Capacity:	6-7 pack/min*
Working Height:	960 mm

* Reference product size at A4 size and H:50 mm

Sleeve Wrappers



Multimac C

Conveyor Belt Size: 600-800 mm conveyor belt size options

Max. Product Height: 400 mm

Applicable Film: LDPE upto 80 mic

Capacity: 4-8 pack/min*

Optional: Pusher arm for automatic collation

* Reference product size at 200 ml bottle H:100 mm

Continuous Motion Sleeve Wrappers



Continuous Motion

Conveyor Belt Size:	600-800-1000-1200-1500 mm conveyor belt size options
Max. Product Height:	400 mm
Applicable Film:	LDPE, HDPE up to 80 mic
Capacity:	20-25 pack/min*
Box-motion seal bar	

* Reference product size at A4 size and H:50 mm

E-Commerce Packaging Machine



IMPACT 40 E-COM

Seal Bar Type:	Servo driven seal bar
Conveyor Belt Size:	400 mm conveyor belt size
Max. Product Height:	140 mm
Applicable Film:	Coex film LDPE up to 100 micron
Capacity:	12-20 pack/min*
Optional: Built-in Print & Apply Zebra Labeler Barcode Reader, Check Weigher, Reject Arm or Sorter Systems.	

[Click here for application video](#)



TT60 RANDOM PACKER

Seal Bar Type:	Servo driven seal bar
Conveyor Belt Size:	600 mm conveyor belt size
Max. Product Height:	150 mm
Applicable Film:	Coex film LDPE up to 100 micron
Capacity:	9-20 pack/min*
Optional: Built-in Print & Apply Zebra Labeler Barcode Reader, Check Weigher, Reject Arm or Sorter Systems.	

[Click here for application video](#)



* Reference product size at A4 size and H:50 mm

Paper & Poly Packaging Machine



TT80-PAPER AND POLY MASTER

Seal Bar Type:	Servo driven seal bar Servo driven twin side sealer
Conveyor Belt Size:	800 mm conveyor belt size
Max. Product Height:	100 mm
Applicable Film:	LDPE film, Hotmelt coated or PE laminated paper up to 100mic
Capacity:	60 pack/min*
Optional: Built-in Print & Apply Zebra Labeler Barcode Reader, Check Weigher, Reject Arm or Sorter Systems.	

* Reference product size at A4 size and H:50 mm

Mini, Midi and Diamond Tunnels



Mini-Midi Tunnels

Available Chamber Size:	Width: 450-600-800 mm Length: 600-900 mm Height: 250-400 mm
Applicable Film:	POF and PE film
Belt Options:	- Splindle belt (standard) - Plastic modular - Metal mesh - Teflon mesh
Top circulated fan	
Side flaps for air stream control	



Diamond Tunnels








Available Chamber Size:	Width: 450-600 mm Length: 1400-2100-2800 mm Height: 250-400 mm
Available Size Options For Chamber Size:	Width: 800-1000-1200-1500 mm Length: 1700-2800 mm Height: 250-400 mm
Applicable Film:	POF and PE film
Belt Options:	- Splindle belt (standard) - Plastic modular - Metal mesh - Teflon mesh

- Bottom circulated fan
- Side flaps for air stream control
- Easy service for heater change
- Adjustable vent holes
- Applicable for POF and PE film

* Reference product size at A4 size and H:50 mm

Why Partners With Us?



-  Up To Date Technology With Continuous R&D
-  100% In-House Production *inc. design, sheet metal processing, parts production, software programming and electrical wiring.*
-  High Quality Components
-  Competitive Price Performance Value
-  Excellent Sales Support
-  Reliable Technical Support
 - Fast Parts Supply
 - Digital Video And Installation Support
 - Up-to Date Parts Catalogs And Documentation Support
-  Customized Inline Automation and Project Based Add-ons

Always delivers on the promise

Components

CONTENTS	STANDARD	OPTIONAL*
AC MOTORS	WATT	SIEMENS
SERVO MOTORS	DELTA	SIEMENS/OMRON
REDUCTORS	VARVEL	TRAMEC/MOTOVARIO
PLC, CPU-MODULES	DELTA	SIEMENS/OMRON
HMI-TOUCH PANEL	DELTA	SIEMENS/OMRON
ASENKRON MOTOR DRIVERS	DELTA	SIEMENS/OMRON
CONTACTORS	EATON	SIEMENS
SAFETY RELAYS	PIZZATO	PILZ
TEMPERATURE CONTROLLER	OMRON	-
PNEUMATIC CYLINDERS & VALVES	FESTO	SMC
BUTTONS & LED LIGHTS	EATON	-
ENCODER	PEPPERL+FUCH/SICK	-
CABLE TERMINALS	WAGO	-
LINEER BEARINGS	THK	SCHNEEBERGER
OPTIC SENSORS	OMRON	SICK
INDUCTIVE SENSORS	OMRON	SICK
SOLID STATE RELAY	OMRON	SIEMENS
HIGH TEMP, HEAT PROOF MOD BELT	HABASIT	-
THERMIC CONTACTORS	EATON	SIEMENS
CIRCUIT BERAKERS	EATON	SIEMENS



* Optional parts are subject to upcharge and can not be applicable for all models. Further confirmation will be needed.

Target Industries



FOOD INDUSTRY



Chocolate &
Biscuit Producers



Cake & Pizza
(Bakery) Producers



Egg and Poultry
Farms



Dairy Products
Processors



Fruit and Vegetable
Processors
(Dried/Fresh/Juice)

NON-FOOD BRANCHES



Profile and Panel
Producers: Wooden,
Metal, Plastic,
Composite Isolation
Panels etc



Textile & Laundry
Facilities: Clothes and
Sewing Threads



Plastic, Aluminum
and Paper Plates,
Cups & Dishes



Health and Personal
Care Products:
Detergents, Creams,
Soaps etc.



Electronics:
Mobile Phones, Laptops,
Switches, Bulbs etc.

Contract Packagers & Logistic Companies
E-commerce Companies

Target Industries



Contract
Packagers



Logistic
Companies



E-Commerce
Companies

Some of Our References



3M



BOSCH



Strauss



Nestlé



Unilever

DAIMLER BENZ

ABB

Vempi

M.Lasser
WHOLESALE MARKETING OF EGGS



**MANN +
HUMMEL**

deceuninck

PARAND



AL BAYADER
INTERNATIONAL
reinventing convenience

palmary

AVON
AUTOMOTIVE



Oracle
Polyplast

Schneider
Electric

KARTELL



CarpetVista

oerlikon



National Printig
& Packaging

Fairs



Our Distributors



- Algeria
- Belarus
- Bosnia Herzegovina
- Brasil
- Bulgaria
- Chile
- China
- Colombia
- Croatia
- Equator
- France
- Germany
- Greece
- India
- Ireland
- Israel
- Lebanon
- Lithuania
- Moscow
- North Macedonia

- Pakistan
- Poland
- Romania
- Russia
- Saudi Arabia
- Serbia
- Spain
- Texas
- TURKEY
- Ukain
- Ukraine
- USA





Packaging & Industrial Equipment Inc.



THANK YOU!



Şerifali Mah. Serdivan S. No:60 Y.Dudullu
34775 İstanbul Türkiye



7035 Schantz Rd #100, Allentown,
PA 18106, USA



+90 216 365 85 70



+90 533 659 88 15



877-466-2171



sales@maripakusa.com



+90 216 365 54 44



info@maripak.com



info@maripakusa.com



www.maripak.com



www.maripakusa.com

